


15 INCH I7-1265U IPC



 **INDUSTRIAL GRADE**

 **24x7 HOURS
STABLE OPERATION**

 **HIGH & LOW
TEMPERATURE
RESISTANCE**


TECHNICAL PARAMETER

Motherboard	
CPU	Intel Core i7 – 1265U Generation
MEMORY	16GB RAM
STORAGE	1TB SSD
Interface	
WIFI,3/4G MODULE	802.11b/g/n, Support 3g/4g
HDMI	1 x HDMI
USB	2 x USB 3.0 (more options)
NETWORK	1 x RJ45 (1000base-T)
COM	Support COM1 and COM2 can be adjusted to RS485, can add 2 or 4 RS232
POWER SUPPLY	1 x DC port, support 12V/ 24V
AUDIO OUTPUT	1 x 3.5mm,TRS port
OTHER	8* GPIO (optional)



TECHNICAL PARAMETER

Display	
SCREEN TYPE	LCD screen with LED backlight
RESOLUTION	1024 x 768 (Display Area : 304 x 228mm)
CONTRAST RATIO	700 : 1
BRIGHTNESS	350cd/m ²
SCREEN RATIO	4 : 3
Structure	
MATERIAL	Aluminum (front and back cover)
CRAFT	Glass frame paste, aluminum die casting
HEAT DISSIPATION	Fan cooling design
COLOR	Black/ Grey
PANEL INDICATOR LIGHT	Power state, hard disk state
WHOLE SIZE	370 x 294 x 55.3 mm
Weight	Net Weight : 7kgs Gross Weight : 8kgs
Installation method	Embedded panel type, VESA 100 x 100mm
Adaptor	Power adapter 5A
Touch screen	
TOUCH TYPE	Capacitive touch screen
TOUCH POINT	10-Point touch
PHYSICAL RESOLUTION	4096 x 4096
RESPONSE TIME	<5ms
ACCURACY	<2.5mm
TRANSPARENCY	≥90%
PROTECTION	The surface is coated with 1:1 PVC protective film
Reliability Parameters	
WORKING TEMPERATURE	-20 °C ~65°C
STORAGE TEMPERATURE	-40 °C ~80 °C
OPERATING HUMIDITY	Humidity: 90% non condensing



* All specifications and photos are subject to change without notice



DIMENSIONS

